Conforms to OSHA HazCom 2012 Standard

Section 1 - Identification

Product Identifier KLEER VIEW Window & Glass Cleaner

Recommended use Glass cleaner.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information
Company Name
Seven Oaks Supply Co.

Address 120 East 3rd Street, Oakboro, NC 28129

Telephone (800) 230-7460

Emergency Phone CHEM-TEL (800) 255-3924

Section 2 - Hazard(s) Identification

Classification Category

Physical Hazards Not Classified

Health Hazards Serious eye damage/eye irritation 2B

OSHA defined hazards

Label Elements

Not Classified.

Hazard Symbol None.
Signal Word Warning

Hazard statement Causes eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international

regulations.

Not classified.

Hazard(s) not otherwise

classified (HNOC)

Section 3 - Composition/Information on ingredients

Mixture

Hazardous Components

 Ingredient Name
 CAS #
 %

 2-Butoxyethanol
 111-76-2
 1 - 5

 2-Propanol
 67-63-0
 1 - 5

Section 4 - First-aid Measures

InhalationMove to fresh air. Get medical attention if irritation persists.Skin contactWash skin with water. Get medical attention if irritation persists.

Eye contact Flush eyes thoroughly with water for at least 15 minutes. Get medical attention if

irritation persists.

Ingestion Immediately rinse mouth and drink plenty of water. Keep person under observation.

Do not induce vomiting. If vomiting occurs, keep head low. If person becomes

uncomfortable seek medical advice.

Most Important symptoms
May cause eye irritation. Exposed individuals may experience eye tearing, redness, acute and delayed
and discomfort. Prolonged or repeated skin contact may cause drying, cracking, or

irritation.

Indication of immediate medical attention and special treatment

attention and special treatment

General Information

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take

precautions to protect themselves.

Conforms to OSHA HazCom 2012 Standard

Section 5 - Fire-fighting measures

Suitable extinguishing media In case of fire, use water spray, dry chemical, or CO2. Avoid using a direct stream of

water.

Unsuitable extinguishing media

Specific hazards arising from the

During fire, gases hazardous to health may be formed.

Do not use water jet as an extinguisher, as this will spread the fire.

chemical

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case

of fire.

Fire-fighting equipment /instruction Move containers from fire area if you can do it without risk. Cool material exposed to

heat with water spray and remove it if no risk is involved.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency procedures.

Isolate area. Keep unnecessary personnel away. Ventilate the area. Eliminate all ignition sources (no smoking, flares, sparks or flames in immediate area). Use personal protection as recommended in Section 8 of the SDS.

Methods and materials for containment and cleaning up

SMALL SPILLAGE: Absorb spillage with suitable absorbent material. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After removal flush contaminated area thoroughly with

water.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling Avoid breathing mist or vapor. Avoid c

Avoid breathing mist or vapor. Avoid contact eyes. Wash hands thoroughly after handling. Provide adequate ventilation. Keep container closed. Use Personal

Protective Equipment recommended in section 8 of the SDS.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep containers closed when not in use. Store at ambient temperature and atmospheric pressure. Store away from

240 mg/m³, 50 ppm

Value

incompatible materials (see Section 10 of the SDS).

Type

TWA

Section 8 - Exposure control/personal protection

2-Butoxyethanol (CAS 111-76-2)

Occupational exposure limits

Components

U

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

2-Propanol (CAS 67-63-0)	TWA	980 mg/m³, 400ppm
JS. ACGIH Threshold Limit Values		
Component	Type	Value
2-Propanol (CAS 67-63-0)	STEL	400 ppm
2-Propanol (CAS 67-63-0)	TWA	200 ppm
2-Butoxyethanol (CAS 111-76-2)	TWA	20 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Butoxyethanol (CAS 111-76-2) TWA 24 mg/m³, 5 ppm 2-Propanol (CAS 67-63-0) IDLH 2000 ppm

2-Propanol (CAS 67-63-0) STEL 1225 mg/m³, 500 pp 2-Propanol (CAS 67-63-0) TWA 980 mg/m³, 400 ppn

US. ACGIH. BEIs. Biological Exposure Indices

Component	Value	Determinate	Specimen	Sampling
2-Propanol (CAS 67-63-0)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*
2-Propanol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*
2-Butoxyethanol (CAS 111-76-2)	200 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	*

^{* -} For sampling details, please see the source document.

Exposure guidelinesUse personal protective equipment as required. Keep working clothes separately.

Conforms to OSHA HazCom 2012 Standard

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

US.NIOSH: Pocket Guide to Chemical Hazards

Component Exposure

2-Butoxyethanol (CAS 111-76-2)

Can be absorbed though the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Tennesee. OELs Occupational Exposure Limits, Table Z1A

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

Appropriate engineering controls Provide adequate ventilation and minimize the risk of inhalation of vapors and mists.

Provide easy access to water supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Not required for casusal contact. For prolonged contact, latex, nitrile or neoprene

gloves are recommended.

Other Wear suitable protective clothing if conditions risk exposure.

Respiratory protection In case of inadequate ventilation, use respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the

material and before eating, drinking, and/or smoking. Routinely wash work clothing

and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance Clear.
Physical state Liquid.

Form Clear, thin liquid.
Color Light Blue.
Odor Mild Alcohol.
Odor threshold Not available.

pH 10.4

Melting point/freezing point Not available.

Initial boinging point and 212 °F (100 °C)

boiling range

Flash point > 201.0 °F (> 94.0 °C)

Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. **Explosive limit - lower (%)** Not available. Explosive limit - upper (%) Not available. Not available. Vapor pressure Vapor density Not available. Relative density 0.99 ± 0.01 Relative density temperature 75 °F (23.89 °C)

Solubilities Soluble

Conforms to OSHA HazCom 2012 Standard

Partition Coefficient n-

octanol/water

Not available.

Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity< 10 cP</th>

Viscosity Temperature 75 °F (23.89 °C)

Section 10 - Stability and reactivity

ReactivityThe product is non-reactive under normal conditions of use, storage and transport.

Chemical stability Stable at normal conditions.

Possiblity of hazardous reactio Hazardous polymerization does not occur.

Conditions to Avoid Contact with incompatible materials.

Incompatible materialsStrong oxidizing agents. Strong acids. Strong bases.Hazardous Decomposition ProNo hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion May be harmful if swallowed.

Inhalation Vapors and mist may irritate throat and respiratory system and cause coughing.

Skin contact Prolonged or repeated skin contact may cause drying, cracking, or irritation.

Eye contact May cause eye irritation.

Symptoms related to the physical,

chemical and toxicological

characteristics

May cause eye irritation. Prolonged or repeated skin contact may cause drying,

cracking, or irritation.

Information on toxicological effects.

Acute toxicity May be harmful if swallowed.

Components Level Type Code Species Results 2-Butoxyethanol (CAS 111-76-2) Acute Dermal LD50 Rabbit 400 mg/kg LC50 Inhalation Rat 450 mg/l, 4 hrs Acute Acute Oral LD50 Rat 560 ma/ka

Skin corrosion/irritation Prolonged or repeated contact may dry skin and cause irritation.

Serious eye damage/ eye irritation May cause eye irritation.

Respiratory sensitization

Skin sensitization

Germ cell mutagenicity

Carcinogenicity

Not classified.

Not classified.

Not classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to

carcinogenicity to humans.

Reproductive toxicity
Specific target organ toxicity -

single exposure

Not classified. Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Section 12 - Ecological Information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not

exclude the possibility that large or frequent spills can have a harmful or damaging

effect on the environment.

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known.

Partition coeficient n-octanol / water log (Kow)

Components Results 2-Butoxyethanol (CAS 111-76-2) 0.83

Conforms to OSHA HazCom 2012 Standard

2-Propanol (CAS 67-63-0)

Mobility in soil Not available.

Mobility in general The product is water soluble and may spread in water systems.

Other adverse effects None known.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code D001: Waste Flammable material with a flash point <140 °F.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after

container is emptied.

Section 14 - Transport information

DOT Not regulated as dangerous goods. IATA Not regulated as dangerous goods. **IMDG** Not regulated as dangerous goods.

Transportation in bulk according to Annex II of MARPOL 73/78 and

IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export

Notification (40 CFR707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-

CERCLA Hazardous Substance

List (40 CFR 302.4

Not on regulatory list.

Not regulated.

Components Result 2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Immediate Hazard No Categories **Delayed Hazard** No

> Fire Hazard No Pressure Hazard No Reactivity Hazard Nο No

SARA 302 Extremely hazardous

substance

SARA 311/312 Hazardous Yes

chemical

SARA 313 (TRI reporting)

CAS# Chemical name % by wt. 2-Butoxyethanol 111-76-2 1 - 5

Other federal regulations

Clean Air Act (CAA) Section Not regulated.

112 Hazardous Air Pollutants

Clean Air Act (CAA) Section Not regulated.

112(r) Accidental Release **Prevention (40 CFR 68.130)**

Safe Drinking Water Act (SDWA) Not regulated. **DEA Exempt Chemical** Not regulated.

Mixtures Code Number

Conforms to OSHA HazCom 2012 Standard

Drug Enforcement

Not regulated.

Not regulated.

Administration (DEA), List 1 2

Exempt Chemical Mixtures (21

Food and Drug Administration

(FDA)

US state regulations

US.Massachusetts RTK -Components

Substance List 2-Propanol (CAS 67-63-0)

2-Butoxyethanol (CAS 111-76-2)

US.New Jersey Worker and Components

Community Right-to-Know Act 2-Propanol (CAS 67-63-0)

2-Butoxyethanol (CAS 111-76-2)

US.Pennsylvania RTK -Components

Hazardous Substances 2-Propanol (CAS 67-63-0)

2-Butoxyethanol (CAS 111-76-2)

US.Rhode Island RTK Components

2-Butoxyethanol (CAS 111-76-2)

California Safe Drinking Water and Toxic Enforcement Act of 1986 **US - California Propsition 65**

(Proposition 65): This material is not known to contain any chemicals

currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

2/13/2015 Issue date 01 Version #

Further information Not available.

HSDB® - Hazardous Substances Data Bank References

HPVIS - High Production Volume Information System

Disclaimer The information contained herein was obtained from current and reliable sources.

> However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be

created by or inferred from any statement or omission in this SDS. Various

government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this

SDS. The user should review these regulations to ensure full compliance.

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).